

Battery Pouch Vacuum Sealing Machine



The battery pouch vacuum sealing machine TOB-JK-200 is mainly used for sealing aluminum-laminated case in glove box after injection of electrolyte into pouch Li-ion cell or after formation for final seal (polymer Li-Ion cell).

- Item No.:TOB-JK-200
- Order(Moq):1
- Payment:L/C,T/T,Western Union
- Product Origin:China
- Shipping Port:XIAMEN
- Lead Time:7

Product Detail

Compact Battery Pouch Vacuum Sealing Machine Used For Lithium Aluminum Film Vacuum Pre-sealing Before Electrolyte Filled And Final Vacuum Seal After Formation

SPECIFICATIONS

1 The battery pouch vacuum sealing machine TOB-JK-200 is mainly used for sealing aluminum-laminated casein glove box after injection of electrolyte into pouch Li-ion cell or after formation for final seal (polymer Li-ion cell).

2 The vacuum sealing machine is with sealing machine and control box separately design, When used for pre-sealing, the sealing unit can be used in the glove box.

3 For final sealing, it can be used for lab or small quantity producing, if with production line, Suggest use the vacuum sealing machine for final pouch. (The simple vacuum sealing machine TOB-SVS system, Or the Turntable type vacuum sealing machine TOB-TVS system)

Model	Vacuum pre-sealing machine TOB-JK-200
Power Supply	110V-240V, selectable, Single Phase 50/60Hz
Power	1200W
Warranty	One Year limited warranty with lifetime support
Sealing Pressure	Vacuum chamber lid and sealing die need to be driven by compressed high purity inert gases with recommended 60 psi
Vacuum degree	-90kpa-0, adjustable
Sealing head length	200mm, customize
Sealing stamp width	5mm, customized
Sealing temperature	RT-250°C, adjustable with control accuracy of +/-2°C
Heating Timer	0 - 99 seconds Adjustable
Air supply	0.4-0.6MPa
Dimension(L*W*H)	Sealing Unit : 600mm(L) x 300mm(W) x 500mm(H) Control Unit: 400mm(L) x 450mm(W) x 200mm(H)
Package dimension	660*600*590mm
Net weight	Sealing machine : 45kg Control box : 15kg
Package weight	75kg

Accessories parts	<ul style="list-style-type: none">1 piece heating pipe3 meters seal components1 piece intermediate relay1 piece time relay1 customized power plug line
-------------------	--

PRODUCT DISPLAY



